




# Onyfix<sup>®</sup> Clinical Study: Summary of Results



# CLINICAL STUDY: APPLICATION OBSERVATION ONYFIX® NAIL CORRECTION SYSTEM

- 103 participants, 20 male (19,4 %), 83 female (80,6 %), 106 treated toes
- Age: 61,7 ± 16.7 years (Min: 17 years, Max: 96 years)
- International Multi Center Study (Germany and Denmark)
- 98 participants after 6 weeks
- 90 participants after 12 weeks
- 79 participants after 18 weeks
- 27 participants after 24 weeks
- 21 participants after 30 weeks
- 16 participants after 36 weeks
- 11 participants after 42 weeks

## EFFECTIVENESS NAIL DEFORMATION



$t_0$  = Start

$t_1$  = after 10 weeks


$t_2$  = after 20 weeks

$t_3$  = after 30 weeks

# EFFECTIVENESS

0 = NO NAIL DEFORMITIES; 10 = STRONG NAIL DEFORMATION


t<sub>0</sub> = Start  
t<sub>1</sub> = after 6 weeks  
t<sub>2</sub> = after 12 weeks  
t<sub>3</sub> = after 18 weeks  
t<sub>4</sub> = after 24 weeks  
t<sub>5</sub> = after 30 weeks  
t<sub>6</sub> = after 36 weeks  
t<sub>7</sub> = after 42 weeks



Hanisch, E., 2018, *Cosm. Med.* 3.18, S. 118-125

# EFFECTIVENESS NAIL BED CHANGES


$t_0$  = Start  
 $t_1$  = after 6 weeks  
 $t_2$  = after 12 weeks  
 $t_3$  = after 18 weeks  
 $t_4$  = after 24 weeks  
 $t_5$  = after 30 weeks  
 $t_6$  = after 36 weeks  
 $t_7$  = after 42 weeks



Hanisch, E., 2018, Cosm. Med. 3.18, S. 118-125

# EFFECTIVENESS NAIL DETACHMENT


t<sub>0</sub> = Start  
t<sub>1</sub> = after 6 weeks  
t<sub>2</sub> = after 12 weeks  
t<sub>3</sub> = after 18 weeks  
t<sub>4</sub> = after 24 weeks  
t<sub>5</sub> = after 30 weeks  
t<sub>6</sub> = after 36 weeks  
t<sub>7</sub> = after 42 weeks



Hanisch, E., 2018, Cosm. Med. 3.18, S. 118-125

# EFFECTIVENESS INFLAMMATION IN THE NAIL FOLD


t<sub>0</sub> = Start  
t<sub>1</sub> = after 6 weeks  
t<sub>2</sub> = after 12 weeks  
t<sub>3</sub> = after 18 weeks  
t<sub>4</sub> = after 24 weeks  
t<sub>5</sub> = after 30 weeks  
t<sub>6</sub> = after 36 weeks  
t<sub>7</sub> = after 42 weeks



Hanisch, E., 2018, Cosm. Med. 3.18, S. 118-125

# EFFECTIVENESS SUBJECTS WITH PAIN

t<sub>0</sub> = Start  
t<sub>1</sub> = after 6 weeks  
t<sub>2</sub> = after 12 weeks  
t<sub>3</sub> = after 18 weeks  
t<sub>4</sub> = after 24 weeks  
t<sub>5</sub> = after 30 weeks  
t<sub>6</sub> = after 36 weeks  
t<sub>7</sub> = after 42 weeks




Hanisch, E., 2018, *Cosm. Med.* 3.18, S. 118-125



# EFFECTIVENESS


## SUBJECTS WITH PAIN BEFORE AND IMMEDIATELY AFTER APPLICATION OF THE “HARD” COMPOSITE



Hanisch, E., 2018, *Cosm. Med.* 3.18, S. 118-125

# EFFECTIVENESS REQUIRED TIME OF APPLICATION

$t_0$  = Start  
 $t_1$  = after 6 weeks  
 $t_2$  = after 12 weeks  
 $t_3$  = after 18 weeks




Hanisch, E., 2018, *Cosm. Med.* 3.18, S. 118-125

## EFFECTIVENESS

### EFFECTIVENESS OF ONYFIX® NAIL CORRECTION SYSTEM

0 = NOT EFFECTIVE;  
10 = VERY EFFECTIVE

$t_0$  = Start  
 $t_1$  = after 6 weeks  
 $t_2$  = after 12 weeks  
 $t_3$  = after 18 weeks  
 $t_4$  = after 24 weeks



Hanisch, E., 2018, *Cosm. Med.* 3.18, S. 118-125